



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/733,748	12/07/2000	Akbar Arab-Sadeghabadi	LIT3-BL99	4786

7590 02/11/2003
James F. Kirk
Price And Gess
Suite 250
2100 S.E. Main Street
Irvine, CA 92614-6238

EXAMINER

WANG, GEORGE Y

ART UNIT PAPER NUMBER

2882

DATE MAILED: 02/11/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/733,748

Applicant(s)

ARAB-SADEGHABADI ET AL.

Examiner

George Y. Wang

Art Unit

2882

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 December 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 3,9-12 and 14-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 3,9-12 and 14-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☒ The proposed drawing correction filed on 22 August 2002 is: a) ☒ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 13.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 20 December 2002 has been entered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2882

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Adl (U.S. Patent No. 4,834,479) in view of Nakai et al. (U.S. Patent No. 4,345,816, from hereinafter "Nakai").

Adl discloses a pressure vessel (fig. 1, ref. 20) that has a tubular casing (fig. 1, ref. 27) with an internal cavity (fig. 1, ref. 32) capable of withstanding extreme hydrostatic pressures (col. 1, lines 59-66) and temperature (col. 3, lines 28-38), an opening in both ends (fig. 1) permitting optical fiber cables (fig. 1, ref. 22, 37), made of core and cladding, to access the cavity, and a plug region (fig. 1, ref. 34), with through-holes (fig. 1, ref. 40) for fiber passage, adjacent the opening. Because the cavity is cylindrical (col. 2, lines 11-16), the cross section of the cavity and the plug that fits into the cavity has a circular cross section. However, the Adl reference teaches a plug region that increases in diameter from the opening, and therefore is not diminishing in diameter or necked down to match the internal cavity cross section as its distance from the opening increases.

Nakai discloses a pressure vessel with a plug region that decreases in diameter from the opening to match the internal cavity cross section (fig. 1, ref. 4).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have constructed a plug region that decreases in diameter from the opening to match the internal cavity cross section since one would be motivated to

Art Unit: 2882

provide sufficient air-tightness and hydraulic pressure resistance (col. 1, lines 23-26).

By promoting fluid block, degradation arising from seawater and other environmental factors are optimally eliminated (col. 1, lines 40-44).

4. Claims 9-12 and 14-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adl and Nakai in view of Beyer et al. (U.S. Patent No. 6,212,989, from hereinafter "Beyer").

5. As to claims 9, 11-12, 14, and 17-18, Adl and Nakai disclose a pressure vessel as recited above with a steel plug (fig. 1, ref. 4) that decreases in diameter from the opening to match the internal cavity cross section to snugly fastened to form a stop or barrier against the side of the cavity wall and further having a through-hole that provides passage for optical fibers. The reference also teach o-rings (fig. 1, ref. 44, 46, *Adl*; fig. 1, ref. 9, *Nakai*) and adhesives within the through-hole (fig. 1, ref. 5, *Nakai*) to maximize sealing. However, Adl and Nakai fail to specifically disclose a plug made of ceramic adhesive.

Beyer discloses a pressure vessel with a ceramic plug.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a ceramic adhesive for sealing the fiber to a ceramic plug since one would be motivated by optical transparency. Beyer discloses a ceramic plug that is transparent and capable of contributing to optical transmission. Therefore, the

Art Unit: 2882

use of a ceramic plug or adhesive will serve to support the transmission of optical signals.

Furthermore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a ceramic adhesive for sealing the fiber to a ceramic plug since one would be motivated by ease of manufacture. Adl teaches that a seal without resorting to adhesives is as effective, if not more, than one with adhesive (col. 5, lines 13-19), since Adl recognizes that adhesives, such as epoxies, are subject to failure during use (col. 5, lines 13-19). One of ordinary skill in the art would agree that adhesives are not ideal for sealing effectiveness. Instead, an adhesive would serve to enhance the ease of manufacture. For example, just as Adl teaches a beveled through-hole for ease of manufacture (col. 2, lines 35-38), fixation of the fiber to the plug through-hole by using adhesive merely provides permanence after the fiber is aligned and fix in its proper place. Therefore, it would have been obvious to one of ordinary skill in the art to apply an adhesive to secure the fiber after proper alignment just as in the Nakai reference (fig. 1, ref. 5), however with ceramics instead of epoxies, thereby facilitating the manufacturing process for pressure vessels.

6. Regarding claims 10, 16, and 20, Adl and Beyer disclose the pressure vessel recited above. However, the references fail to specifically teach a polymer cap to cover and beyond the external surface of the plug, forming an additional fluid barrier over the surface of the plug.

Art Unit: 2882

Nakai discloses a cap (fig. 2, ref. 11) to cover and beyond the external surface of the plug, forming an additional fluid barrier over the surface of the plug.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included a cap to cover and beyond the external surface of the plug since one would be motivated to form an additional fluid barrier over the surface of the plug. It is well known in the art that fiber coating are constructed of polymer materials to resist environmental contaminants and as such, it would have been obvious to include a cap for enhanced fluid block and pressure resistance.

7. As to claims 15 and 19, Adl and Nakai teach a plug region with a through-hole for fiber passage near the opening of the pressure vessel. However, the references fail to specifically teach a threaded, irregular surface region for frictional engagement of a steel plug to a steel cavity.

Beyer discloses a threaded, irregular surface region for frictional engagement of a steel plug to a steel cavity (col. 6, lines 26-46).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a threaded, irregular surface region for frictional engagement of a steel plug to a steel cavity as suggested by Beyer since one would be motivated by optimum sealing capability. The use of threads (fig. 2A, ref. 40) on high-strength steel facilitates the attachment and the sealing of the irregular-surfaced plug to the cavity (col. 6, lines 26-40). This engagement of pressure vessel components ensures secure fitting by maximizing frictional forces (col. 6, lines 41-46).

Response to Arguments

8. Applicant's arguments filed 20 December 2002 have been fully considered but they are not persuasive.

Although Applicant's argument that Adl does not teach a pressure vessel that is directed to a high temperature resistance, it is unreasonable to determine that is is incapable of that function simply because it has a different intended use. It has been held that the recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987). Similarly, it has been held that the recitation that an element is "adapted" perform a function is not a persuasive limitation but only requires the ability to so perform. Therefore, as seen in independent claim 11, the limitation does not constitute a limitation in any patentable sense. In re Hutchinson, 69 USPQ 138.

Applicant also argues that the Nakai reference teaches a metal cylinder instead of a plug region. Examiner acknowledges Applicant's position, however, points out that the metal cylinder does in fact reside within a plug region, denoted fig. 1, ref. 34.

In addition, in response to Applicant's argument that the Beyer reference not teaching a pressure vessel with a ceramic plug with high temperature and pressure resistance, Examiner notes that even if Beyer discloses a window, it is not exempt from being a ceramic adhesive plug that is clearly temperature and pressure resistant (as recited in the title).

Art Unit: 2882

Therefore, Examiner holds that the Adl, Nakai, and Beyer references are valid and maintains the rejection.


Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to George Y. Wang whose telephone number is 703-305-7242. The examiner can normally be reached on M-F, 8 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H. Kim can be reached on 703-305-3492. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-308-7724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

gw
February 6, 2003


SUPERVISOR
TECHNOLOGY CENTER 2000